



## Smart Hydrostatic Head Tester Model: ADL-HT01S

### Test Unit

### Product Description

Smart Hydrostatic Head Tester is used for measures the resistance of a fabric to the penetration of water under hydrostatic pressure. It is applicable to all types of fabrics, including those treated with a water resistant or water repellent finish, The pneumatic clamp head have huge clamp pressure.

### Technical Specifications

- Test pressure:0~3000mbar
- Measuring accuracy:  $\pm 0.5 \% \pm 1$  mbar
- Readability: 0.1 mbar
- Test gradient:1~1000mbar/min
- Pressure warning signal: 1mbar ~3000mbar
- Test area:100 cm<sup>2</sup> (10 cm<sup>2</sup>, 19.63 cm<sup>2</sup>,26 cm<sup>2</sup>, and 28 cm<sup>2</sup> optional)
- Maximum sample thickness:0~20mm
- Required compressed air supply: 4~8 bar (clean and dry)
- Dimensions: 40×60×60cm(W×D×H)
- Weight: 65Kg
- Power: AC100~240V,50/60Hz,50W
- Warranty: 24 Months



### Professional Technology

- 10-inch color screen, capacitive touch screen, multi-point touch Android7.0 operating system, easy Control, Test results can be saved to Excel file,and can be sent via WIFI to anywhere.
- Simple and convenient test fixture is designed to provide superior gripping force, to ensure that the water does not leak out from the side.
- High-precision pressure sensors and pressure control system.
- LED soft illumination system, digital adjust lighting brightness.
- Friendly and convenient test software, test software to configure a variety of test standard, user-friendly.
- Test pneumatic clamp head, with huge clamp pressure, Maximum pressure four tons.

### Testing Standards

GB/T 4744, AATCC 127, EN 20811, BS 2823, BS 3424-26 29A/29C, BS 3321, BS 3321, ISO 811, ISO 1420A, DIN 53886, INDA IST 80.4, JIS L 1, 092 A, JIS L 1, 092 B-b NF G07-057, ERT-120-1, 160-0, EDANA 120.2-02, ISO 16603, ASTM F1670, YYT 0700, ASTM F903.

### Test Principle

One surface of the test specimen is subjected to a hydrostatic pressure, increasing at a constant rate, until three points of leakage appear on its other surface. The water may be applied from above or below the test specimen.

The instrument contains a high precision pressure control system, which produces the test pressure in an internal water tank.

### AdLab Instruments Co., Ltd

★ RM 602, 6/F, Kaiyue Comm Building, No.2C, Argyle Street, Mongkok Kowloon, Hong Kong

🇮🇪 20A Cuil Na Carriage, Ballymakeera, Co-Cork, Ireland (EU)

✉ info@adlabinstruments.com 🌐 www.adlabinstruments.com

## Smart Hydrostatic Head Tester Model: ADL-HT01S

### Application

Measurement the resistance of plastic foils, coated and uncoated fabrics, and non-wovens to water penetration by means of the dynamic test method, the static test method, and the program test method..

### Configuration

Standard configuration: Mainbody, Test Head 100 cm<sup>2</sup>, Samsung p3110 Tablet, Tablet LABTest Software

Optional accessories:

ADL-HT01S Test Head 10 cm<sup>2</sup>

For measurements on small test samples and abrasion test areas.

ADL-HT01S-19.63 Test Head 19.63 cm<sup>2</sup>

For measurements in accordance with BS 3424-26 29C

ADL-HT01S Test Head 26 cm<sup>2</sup>

For measurements on small test samples.

ADL-HT01S Test Head 28 cm<sup>2</sup>

For measurements in accordance with EDANA 120.2-02 and for measurements on small test samples.

### Tablet PC

Android system, multi-point touch intelligent tablet PC, the operation is simple. And communication host through the wireless WiFi connection, can realize remote operation.




### ADL-HT01S Tablet LABTest Software

#### Main Screen

The program main screen is a test project Settings interface, including test items commonly used some parameters, when starting a new test project must first select a test standard. you can even use smart phones to control the instrument testing work.

#### Test Standards Screen

Standard selection screen is equipped with all the standards of this device can supported. the user can choose among them any one of the standard, in addition, to meet the special needs, user can also customize test standard. Selected standard, program interface will display different parameters according to standard.






**Smart Hydrostatic Head Tester  
Model: ADL-HT01S**


## Test Screen

Click the Test button to enter the Test screen, online can through the tablet PC or smartphone control host water, turn on the light, adjust the observation of light operation, etc.

Click the test button, the host in accordance with a predetermined test standard and parameter running test procedure, test pressure along with the test process and changing in the form of chart displayed on the screen, and the testing result data can be generated to Excel format report for edit and print.



Dynamic test screen



Static test screen

## Test Report

EXCEL format test report, can also be sent to the computer for edit and print

A		B		C		D		E	
1	<b>AdLab</b>				Hydrostatic Head Tester				
2									
3	Project	Project name							
4	Test ORG	AdLab Laboratory							
5	Instrument								
6	Operator	Jack							
7	Compny	Sgs							
8	Specimen	Blue							
9	Remark								
10	Test Date	2013-11-25 14:19:50							
11									
12	Standard Name			Method			MaxPress		
13	AATCC127 2003			Dynamic			1000.0 mbar		
14									
15	No.	Time	Pressure	Unit	HodTimes				
16	1	2013-11-25 14:46:11	246.10	mbar	248S				
17	2	2013-11-25 14:46:12	256.25	mbar	257S				
18	3	2013-11-25 14:46:13	252.32	mbar	252S				
19	4	2013-11-25 14:46:14	262.12	mbar	261S				
20	5	2013-11-25 14:46:15	256.08	mbar	258S				

*\*Technical Data Subject to change without notice.*

AdLab is a globally recognized brand specializing in the manufacturing and supply of high-quality laboratory equipment and textile testing instruments. With over 15 years of experience, we are committed to delivering precision-engineered solutions that meet the needs of industries such as textiles, pharmaceuticals, research laboratories, and educational institutions. Our products are designed to enhance efficiency, accuracy, and reliability in scientific and industrial applications.

## Our Skill

At AdLab, we combine expertise in precision engineering with advanced laboratory technology to create innovative and reliable testing instruments. Our team of skilled professionals continuously works on improving product designs, integrating the latest advancements in technology, and ensuring compliance with international quality standards. With a strong focus on research and development, we provide customized solutions that cater to the unique needs of our customers worldwide.

## Our Products


AdLab offers a wide range of high-quality laboratory and textile testing instruments, including Yarn & Fiber Testing Instruments, Laboratory Fume Hood Chambers, Ovens & Incubators, Water Baths, Textile Testing Instruments, Dyeing & Finishing Machines, Ceramic Testing, Tensile Testing, Washers & Dryers, Needle Detectors, and In-House Testing Equipment. Designed for precision and efficiency, our products ensure accurate testing and reliable performance across various industries.

## Our Services

At AdLab, customer satisfaction is our top priority. We provide comprehensive support services to ensure the smooth operation of our equipment, including:

- ✓ 24/7 Technical Support Team – Our highly trained technical support team is available around the clock to assist with troubleshooting, maintenance, and operational guidance. Whether you need immediate assistance or expert advice, we are always ready to help.
- ✓ Installation & Training – We offer professional installation services and hands-on training to help users operate our equipment efficiently.
- ✓ Calibration & Maintenance – Regular calibration and maintenance services ensure that your laboratory instruments remain accurate and in optimal working condition.
- ✓ Customized Solutions – We provide tailored solutions to meet specific industry requirements, helping our clients achieve maximum efficiency in their operations.

## Global Networks



**Bangladesh • Brazil • China • Hong Kong • India • Ireland • Italy • UK • USA • Vietnam**

### AdLab Instruments Co., Ltd

★ RM 602, 6/F, Kaiyue Comm Building, No.2C, Argyle Street, Mongkok Kowloon, Hong Kong

🇮🇪 20A Cuil Na Carriage, Ballymakeera, Co-Cork, Ireland (EU)

✉ info@adlabinstruments.com 🌐 www.adlabinstruments.com